



## Know what's **below.**

#### **Call** before you dig. **Utility Disclaimer**

Surveyor has not physically located the underground utilities. Above grade and underground utilities shown were taken from visible appurtenances at the site, public records and/or maps prepared by others. Surveyor makes no guarantee that the underground utilities shown comprise all such utilities in the area, either in service or abandoned. Surveyor further does not warrant that the underground utilities are in the exact location indicated. Therefore, reliance upon the type, size and location of utilities shown should be done so with this circumstance considered. Detailed verification of existence, location and depth should also be made prior to any decision relative thereto is made. Availability and cost of service should be confirmed with the appropriate utility company. In Tennessee, it is a requirement, per "The Underground Utility Damage Prevention Act", that anyone who engages in excavation must notify all known underground utility owner, no less than three (3) nor more than ten (10) working days prior to the date of their intent to excavate and also to avoid any possible hazard or conflict. Tennessee One Call 811.



**VICINITY MAP** NOT TO SCALE

**LEGEND** 

S EXISTING MANHOLE

C LIGHT POLE

Ø POWER POLE

FIRE HYDRANT

CATCH BASIN

O CLEAN OUT

WM WATER METER

JUNCTION BOX

☐ PULL BOX

GUY WIRE

POLE SIGN

& HANDICAPPED PARKING

☐ CONCRETE MONUMENT FOUND

RECORD BOOK

IRON PIPE OLD AS DENOTED (IP OLD)

(IRON ROD OR PIPE OLD AS DENOTED (IR OLD)

1/2" REBAR SET CAPPED SEXTON 2400 (IR NEW)

REGISTER'S OFFICE OF RUTHERFORD COUNTY, TENNESSEE

VALVE GM GAS METER



#### SURVEYOR'S CERTIFICATE:

I, Christopher Blake Sexton, Registered Land Surveyor, Tennessee RLS #2400, do hereby certify that the survey shown hereon was made by myself or under my direct supervision on 06 July 2025, and the same is true and correct to the best of my knowledge and belief. I further certify this is a Category IV remote sensing survey, and is in compliance with the current Tennessee minimum standards of practice as defined under rule 0820-03-07C (5). The horizontal datum is NAD 1983, which was derived using a GPS network RTK observation taken by a dual frequency Trimble R12i with a published positional accuracy of 8mm horizontal and 15mm vertical. The unadjusted ratio of precision of the data shown hereon (in relative positioning accuracy given at the 95% confidence level) is at least 1:10,000.

7/11/2025

Christopher Blake Sexton, RLS Tennessee License Number: 2400

PLAT BOOK (CABINET) POINT OF BEGINNING CENTERLINE INTERSECTION OF ROADS OUTBLDG OUTBUILDING RIGHT-OF-WAY CONCRETE OFFSE1

----- M.B.S.L. - SETBACK LINE —SA———SA———SA——— EXISTING SEWER LINE -W---- EXISTING WATER LINE \_ T \_\_\_\_ EXISTING OVERHEAD TELEPHONE LINE —— GAS ——— GAS ——— EXISTING GAS LINE BITUMINOUS (ASPHALT) SURFACE

### **General Notes**

- 1. Date field survey completed: 07/06/2025.
- 2. Property contains 147,519.80 sq. ft or 3.39 acres± total.
- 3. Except as specifically stated or shown on this survey, this survey does not purport to reflect any of the following which may be applicable to the subject real estate: easements, other than possible easements that were visible at the time of this survey, building setback lines, restrictive covenants, subdivision restrictions, zoning or other land-use regulations, and other facts that an accurate and current title search may disclose. Surveyor was not furnished a title report.
- 4. This survey was made using the latest recorded deeds and other information, and there are no encroachments or projections other than those shown hereon. This survey is subject to the findings of a title report.
- 5. This parcel of land is subject to any and all right-of-ways and/or easements either by record and/or prescription that a complete title search may reveal.
- 6. Any location of underground utilities as shown hereon are based solely on observations and field locations of above-ground structures. Additional buried utilities and/or structures may exist.
- 7. This is a true and accurate portrayal of the boundaries determined from GPS, record data and physical evidence found in the field.
- 8. Based upon a graphic scale this property is located in an Area Designated as Zone "X" (Areas Determined to be outside the 100-Year Floodplain) on the most recent Federal Emergency Management Agency (F.E.M.A.) Flood Insurance Rate Map No. 47149C0280J, Dated May 09, 2023.
- 9. Property has access to public utilities.

**BOUNDARY SURVEY OF THE** 

# RANDAL R. ODOM PROPERTY

TAX MAP 103B, GROUP A, PARCEL 001.00 RECORD BOOK 2396, PAGE 3359, RORCT **13TH CIVIL DISTRICT** 1700 E. MAIN STREET MURFREESBORO, RUTHERFORD COUNTY, TN

CHRISTOPHER BLAKE SEXTON, PLS **5125 BRIDGEMORE BLVD. MURFREESBORO, TN 37129** 931-261-8875 blakesexton@comcast.net

SHEET 1 OF 1